



## Accessories

Ph: (800) 233-6530 [www.kea.works](http://www.kea.works)

### Filter Bag Ring Kit: To Hang Filter Bag



- Kit includes 24"  $\phi$  solid steel ring and "S" hooks
- Used to suspend oversize filter bag
- Construction 3/8" dia. solid mild steel, powder coated gray finish
- Item Number: FB.RING
- Used to hang filter bag at top by the loops at top of bag



### Filter Dust Bag Hose Kit with 5 Feet of Flex Hose

- Five Feet of Clear Polyurethane Flex Hose, (2) Wire Hose Clamp, and (1) Connector Sleeve Other hose lengths available
- Item Number: HOSEKIT6.5 for 6"  $\phi$  Kit; HOSEKIT5.5 for 5"  $\phi$  Kit; HOSEKIT4.5 for 4"  $\phi$  Kit
- Offsets filter bag from dust collector via 5 foot hose



### Heavy Duty Polyurethane Flex Hose

- Size range is 3" to 6" and temp. range is -65° to 225° F
- Reinforced with a bronze coated spring steel wire helix
- Great abrasive resistance and superior chemical resistance
- Excellent flexibility and great compressibility
- Wall thickness is 0.020 inches
- Item Numbers: HOSE3, HOSE4, HOSE5, HOSE6 & HOSE8 respectively for sizes 3"  $\phi$ , 4"  $\phi$ , 5"  $\phi$ , 6"  $\phi$ , and 8"  $\phi$



### Cast Aluminum Full Blast Gates (Cut-Offs)

- Used to open and close branch ducts in a system
- Allows air to be diverted only to machines that are operating
- Conserving air volume when closed
- Sliding galvanized blade
- Features a locking screw for full volume control including balancing
- Item Numbers: BLAST3, BLAST4, BLAST5, BLAST6 respectively for sizes 3"  $\phi$ , 4"  $\phi$ , 5"  $\phi$ , and 6"  $\phi$



### iVac Dust Collector Automated Switch (110 volt)

- Fully certified and approved – features TUV safety approval and conforms to UL STD 244A and certified to CSA STDC22.2 No 14
- Three Modes of Operation – Auto, Off and On
- Turn On Delay – avoids circuit breakers being tripped
- Turn Off Delay – ensures that your work area continues to be cleared of remaining airborne debris even after the tool has stopped
- Dual Inputs – to permit operation from two separately protected AC mains circuits, when the combined power from the tool and the vacuum exceed 15 Amps (for up to 1 HP motors)
- Power Cord Protection – both power cords are individually protected with 15 Amp circuit breakers
- Item Number: HIVACSB-NA


## Other Accessories

### Misc. Accessories

FB.STRAP	Elastic strap with buckle to fit around 55 gallon drum: for KEA models 207 and 208 filter bags
26.7635	34" High Pedestal for Baldor grinder or buffer - with three shelves: comparable to Baldor model GA16 that fits "B" models 330, 332, 333, 334, 407, 409, 410, 412
26.7636	30" High Pedestal for Baldor grinder or buffer - with three shelves: comparable to Baldor model GA20 that fits models 1250, 1251, 1252, 1253, 1453, 1454, 1456, 1457, 1458
FD.294	Muffler with 4" $\phi$ inlet and outlet
FD.296	Muffler with 6" $\phi$ inlet and outlet

H.922

Powder Coated 4-Wheel 55 Gallon Drum Dolly with Solid Polyolefin Wheel Casters, 1000 lbs Capacity Range, 6-1/2" Height



**Spark Traps** (place at least 10 diameters from dust collector and source e.g. 4" duct line, min. 40" distance)

ST.244 Spark Trap with 4" inlet and outlet

ST.246 Spark Trap with 6" inlet and outlet

ST.248 Spark Trap with 8" inlet and outlet

**Drums, Clamps, Reducers, Elbows & Wheels**

D24E3 24 Gauge Galvanized Adjustable Elbow: 3"

D24E4 24 Gauge Galvanized Adjustable Elbow: 4"

D24E5 24 Gauge Galvanized Adjustable Elbow: 5"

D24E6 24 Gauge Galvanized Adjustable Elbow: 6"

D24R43 24 Gauge Galvanized Reducer 3" x 4"

D24R54 24 Gauge Galvanized Reducer 4" x 5"

D24R64 24 Gauge Galvanized Reducer 4" x 6"

D24R65 24 Gauge Galvanized Reducer 5" x 6"

HCWIRE3 Wire Hose Clamp for 3" flex hose

HCWIRE4 Wire Hose Clamp for 4" flex hose

HCWIRE5 Wire Hose Clamp for 5" flex hose

HCWIRE6 Wire Hose Clamp for 6" flex hose

HCWORM3 Worm Gear Hose Band Clamp: 3"  $\phi$

HCWORM4 Worm Gear Hose Band Clamp: 4"  $\phi$

HCWORM5 Worm Gear Hose Band Clamp: 5"  $\phi$

HCWORM6 Worm Gear Hose Band Clamp: 6"  $\phi$

HPAIL3.5 3 ½ Gallon Steel Drum (lid & clamp sold separately)

HPAIL6.5	6 ½ Gallon Steel Drum (lid & clamp sold separately)
HPAILCLAMP	Clamp Ring for 3 ½ and 6 ½ gallon steel drum
HPAILLID	Steel Drum Lid: fits both 3 ½ and 6 ½ gallon steel drum
HDRUM55	Steel Drum: 55 Gallon (lid & clamp sold separately)
HDRUM55CLAMP	Steel Drum Clamp: fits 55 gallon
HDRUM55LID	Steel Drum Lid: fits 55 gallon drum
HWHEELSLD	3" x 3/16" Swivel Wheels (sold as each)
HWHEELSL3LD	3" x 3/16" Swivel Wheels with Lock (sold as each)

### **KEA Housing & Fan Replacement Parts**

HNG.250010	Left Half / Inlet Side Small (12" ID) - Aluminum
HNG.250011	Left Half / Inlet Side Small (12" ID) - Aluminum
HNG.250012	Radial Fan Blade (11 5/8" ID): Medium - Aluminum
HNG.250014	Large Fan Housing: Left Side (16 ¼") - Aluminum
HNG.250015	Right Fan Housing: Right Side (16 ¼") - Aluminum
HNG.250105	Radial Fan Blade (10 5/8" ID): Small - Aluminum
HNG.250135	Radial Fan Blade (13 ½" ID): Large - Aluminum
HNG.250140	Intake Elbow: Right Side - Aluminum
HNG.250142	Intake Elbow: Left Side – Aluminum